1 of 1

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

IMP -ThC-A Pod Slurricane

Sample ID: SA-290918-48843 Batch: ImpthcaOOI Type: Finished Product - Inhalable Matrix: Concentrate - Distillate Unit Mass (g):

Received: 09/20/2024 Completed: 10/01/2024



Summary

Cannabinoids

Date Tested 10/01/2024

Status Tested

0.107 % Δ9-ΤΗС

ND (6aR,9R,10aR)-HHC

23.5% Total Cannabinoids

Not Tested Moisture Content

Not Tested Foreign Matter

Yes Internal Standard Normalization

Cannabinoids by GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	0.0429	0.429
CBT	0.018	0.054	ND	ND
Δ8-ΤΗС	0.0104	0.0312	ND	ND
Δ9-ΤΗС	0.0076	0.0227	0.107	1.07
Δ9-THCA	0.0084	0.0251	23.3	233
Δ9-ΤΗCV	0.0069	0.0206	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	ND	ND
(6aR,9S,10aR)-HHC	0.0067	0.02	ND	ND
Total Δ9-THC			20.5	205
Total			23.5	235.1

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9 -THC = Δ 9 -THCA * 0.877 + Δ 9 -THC; Total CBD = CBDA * 0.877 + CBD,

Generated By: Ryan Bellone

CCO Date: 10/01/2024 Tested By Scott Caudill Laboratory Manager



ISO/IEC 17025:2017 Accredited



Date: 10/01/2024 This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.